


OMNIA

MORE THAN JUST GRAB BARS
MORE THAN JUST TOILETS AND SINKS




Price List


Olympia[®]
~

Finishes


Grab bars




Custom Grab bars




Accessories for grab bars




Shelves and hangers




Removable seats and container




Cabinet




Ceramic toilets and sinks




Acrylic stone wahsbasin



Sink frames



Sanitary module




OMNIA

MORE THAN JUST GRAB BARS
MORE THAN JUST TOILETS AND SINKS

The new bathroom's concept: safety, beauty and technology

*A complete and adaptable collection for an enjoyable and safe bathroom environment, where self-care can be carried out naturally and serenely. This is OMNIA, a system that allows the design and arrangement of every area of the bathroom through innovative and functional solutions. Variously accessorized safety bars, shower seats, storage cabinets, washbasins, toilet pans, mirrors with integrated systems for air sanitization and requests for help... a blend of safety, aesthetics and technology designed to enhance the comfort and well-being in a discreet and intimate space such as the bathroom and beyond. **OMNIA makes beautiful what must be safe.***





Straight safety grab bar made of tubular - oval section -, fitted with wall attachments, all made of AISI304 stainless steel, with ABS end caps. The bar is tested to hold up to 150 kg and its shape guarantees an ergonomic grip.

- AISI 304 stainless steel tubular body, 1.5 mm thick
- 150 kg vertical load capacity
- Ergonomic grip
- Wall mounting with stainless steel parallelepiped, in the same finish as the bar
- Designed for integration with accessories
- ABS end caps, in the same finish as the bar
- External finish with mechanical grinding, electrochemical treatment or epoxy-polyester powder

Colours and finishes



Code	Dimensions [AxBxC] mm.	[A1] mm.	Net weight	Price €
Finishes WE, DD				
G19UAS01 xx	376x63x40	305	1,23 kg.	181,29
G19UAS02 xx	478x63x40	406	1,35 kg.	189,40
Finishes N2				
G19UAS01 xx	376x63x40	305	1,23 kg.	177,24
G19UAS02 xx	478x63x40	406	1,35 kg.	183,18

Special finishes available on request



Hook to fit on bar
[WxDxH] 277x167x155 mm.

F19AKS03 [xx](#)

€ 35,00

Hook

C2

End cap



L-shaped towel holder to
fit on bar
[WxDxH] 297x12x110 mm.

F19AMS01 [xx](#)

€ 49,00

Arm

C2

End cap



Help button to fit on bar

M73NGE02 [xx](#)

€ 200,00



Toilet roll holder fto fit
on bar
[WxDxH] 157x12x121 mm.

F19AGS01 [xx](#)


€ 39,50

Arm

C2

End cap





Straight safety grab bar made of tubular - oval section -, fitted with wall attachments, all made of AISI304 stainless steel, with ABS end caps. The bar is tested to hold up to 150 kg and its shape guarantees an ergonomic grip.

- AISI 304 stainless steel tubular body, 1.5 mm thick
- 150 kg vertical load capacity
- Ergonomic grip
- Wall mounting with stainless steel parallelepiped, in the same finish as the bar
- Designed for integration with accessories
- ABS end caps, in the same finish as the bar
- External finish with mechanical grinding, electrochemical treatment or epoxy-polyester powder


Colours and finishes



Code	Dimensions [AxBxC] mm.	[A'] mm.	Net weight	Price €
Finishes WE, DD				
G19UAS03 xx	529x63x40	457	1,41 kg.	193,40
Finishes N2				
G19UAS03 xx	529x63x40	457	1,41 kg.	186,18

Special finishes available on request

	Hook to fit on bar [WxDxH] 277x167x155 mm.	F19AKS03 xx		L-shaped towel holder to fit on bar [WxDxH] 297x12x110 mm.	F19AMS01 xx
	Hook C2 End cap C1 WE DD	€ 35,00		Arm C2 End cap C1 WE DD	€ 49,00
	Shelf to fit on bar [WxDxH] 277x167x155 mm.	F19ANS02 xx		Toilet roll holder to fit on bar [WxDxH] 157x12x121 mm.	F19AGS01 xx
	Shelf W3 L8 End cap C1 WE DD	€ 75,00 W3 € 108,97 L8		Arm C2 End cap C1 WE DD	€ 39,50
	Container to rest on bar [WxDxH] 230x90x100 mm.	F19A0S01 xx		Shelf to rest on bar [WxDxH] 277x167x155 mm.	F19ANS03 xx
	BB BF DD WE	€ 63,26		W3 L8	€ 41,01 W3 € 73,66 L8
	Narrow shelf to fit on bar [WxDxH] 460x95x275 mm.	F19ANS01		Hanger to fit on bar [WxDxH] 392x25x214 mm.	F19AKS02 xx
	Shelf W3 L8 End cap C1 WE DD	€ 135,00 W3 € 175,00 L8		Hanger L8 End cap C1 WE DD	€ 138,05
	Help button to fit on bar	M73NGE02 xx		U-shaped towel holder to fit on bar [WxDxH] 466x12x110 mm.	F19AMS02 xx
	WE DD	€ 200,00		Arm C2 End cap C1 WE DD	€ 78,60



Straight safety grab bar made of tubular - oval section -, fitted with wall attachments, all made of AISI304 stainless steel, with ABS end caps. The bar is tested to hold up to 150 kg and its shape guarantees an ergonomic grip.









- AISI 304 stainless steel tubular body, 1.5 mm thick
- 150 kg vertical load capacity
- Ergonomic grip
- Wall mounting with stainless steel parallelepiped, in the same finish as the bar
- Designed for integration with accessories
- ABS end caps, in the same finish as the bar
- External finish with mechanical grinding, electrochemical treatment or epoxy-polyester powder


Colours and finishes



Code	Dimensions [AxBxC] mm.	[A1] mm.	Net weight	Price €
Finishes WE, DD				
G19UAS04 xx	681x63x40	610	1,60 kg.	205,29
G19UAS05 xx	833x63x40	762	1,80 kg.	216,73
G19UAS06 xx	884x63x40	813	1,85 kg.	222,61
G19UAS07 xx	986x63x40	914	2,00 kg.	230,33
G19UAS08 xx	1138x63x40	1067	2,20 kg.	242,22
Finishes N2				
G19UAS04 xx	681x63x40	610	1,60 kg.	195,19
G19UAS05 xx	833x63x40	762	1,80 kg.	204,13
G19UAS06 xx	884x63x40	813	1,85 kg.	207,13
G19UAS07 xx	986x63x40	914	2,00 kg.	213,07
G19UAS08 xx	1138x63x40	1067	2,20 kg.	222,07

Special finishes available on request

 Hook to fit on bar [WxDxH] 277x167x155 mm.	F19AKS03 xx € 35,00 Hook C2 End cap C1 WE DD	 L-shaped towel holder to fit on bar [WxDxH] 297x12x110 mm.	F19AMS01 xx € 49,00 Arm C2 End cap C1 WE DD
 Shelf to fit on bar [WxDxH] 277x167x155 mm.	F19ANS02 xx € 75,00 W3 € 108,97 L8 Shelf W3 L8 End cap C1 WE DD	 Toilet roll holder to fit on bar [WxDxH] 157x12x121 mm.	F19AGS01 xx € 39,50 Arm C2 End cap C1 WE DD
 Container to rest on bar [WxDxH] 230x90x100 mm.	F19A0S01 xx € 63,26 BB BF DD WE	 Shelf to rest on bar 277x167x155 mm.	F19ANS03 xx € 41,01 W3 € 73,66 L8 W3 L8
 Help button to fit on bar	M73NGE02 xx € 200,00 WE DD	 Hanger to fit on bar [WxDxH] 392x25x214 mm.	F19AKS02 xx € 138,05 Hanger L8 End cap C1 WE DD



Folding and removable support. Consisting of an arm - section 40x25 mm, thickness 1.5 mm, with reinforcing support, AISI 304 stainless steel, - Ø26.9 mm. and thickness 1.5 mm. - and an aluminium plate system. The plate cover and pivot cylinder are made of ABS.

- AISI 304 tubular steel body, 1.5 mm thick
- Equipped with reinforcing support in AISI 304 tubular steel Ø 26.9 mm.
- Aluminium fixing plate system
- Hinge fulcrum is equipped with a friction system to control bar tilting
- Removable item
- ABS plate cover to protect wall anchorage
- External finish with mechanical grinding, electrochemical treatment or epoxy-polyester powder

Colours and finishes

Arm	WE	DD	N2
Reinforce arm	C2		

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19JCS01 xx	109x600x194	2,40 kg.	420,00
G19JCS02 xx	109x700x194	2,52 kg.	438,66
G19JCS03 xx	109x850x194	2,64 kg.	450,25

Special finishes available on request



Anchor plate for folding support
[90x10x180] mm.

N1

Y88JKS99
€ 55,00



Anchor plate cover
[WxDxH] 99x22x187 mm.

WE DD C1

F19JIS01 [xx](#)
€ 12,04 WE/DD
€ 18,00 C1

Help button to fit on support


M73NGE02 [xx](#)



€ 200,00

WE DD









Folding and removable support. Consisting of an arm - section 40x25 mm, thickness 1.5 mm, with reinforcing support, AISI 304 stainless steel, - Ø26.9 mm. and thickness 1.5 mm. - and an aluminium plate system. The plate cover and pivot cylinder are made of ABS.

- AISI 304 tubular steel body, 1.5 mm thick
- Equipped with reinforcing support in AISI 304 tubular steel ø 26.9 mm.
- The arm is equipped with a roll paper holder
- Aluminium fixing plate system
- Hinge fulcrum is equipped with a friction system to control bar tilting
- Removable item
- ABS plate cover to protect wall anchorage
- External finish with mechanical grinding, electrochemical treatment or epoxy-polyester powder

Colours and finishes

Arm	 WE	 DD	 N2
Reinforce arm	 C2		

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19JCS11 xx	109x600x194	2,64 kg.	479,66
G19JCS12 xx	109x700x194	2,76 kg.	487,39
G19JCS13 xx	109x850x194	2,88 kg.	498,97

Special finishes available on request



Anchor plate for folding support
[90x10x180] mm.

Y88JKS99

€ 55,00



N1



Anchor plate cover
[WxDxH] 99x22x187 mm.

F19JIS01 [xx](#)

€ 12,04 [WE/DD](#)


€ 18,00 [C1](#)



WE

DD






C1



Stool in technopolymer, with stainless steel AISI 304 leg structure and ABS feet.


- Stainless steel AISI 304 leg structure, 10 mm. diameter
- Large technopolymer seat, usable surface area 1200 cm²

Colours and finishes

Legs structure				
	C2			
Seat				
	WE	DD	BB	BF

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19UIS01 xx	380x326x450	3,8 kg.	320,00

Special finishes and 'single-colour' option available on request




Folding shower seat made of technopolymer, equipped with an aluminium wall anchoring plate system.

- Integral seat made of technopolymer
- Useful seating area 1200 cm²
- Wall anchoring by means of an aluminium plate
- Clutch system for clamping movement control

Colours and finishes

Plate	N1			
Seat	WE	DD	BB	BF

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19UHS01 <small>xx</small>	380x390x409	3,10 kg.	425,70



Folding and removable shower seat made of technopolymer, equipped with an aluminium wall-anchoring plate system consisting of a flange to be fixed to the wall and a plate integral with the seat that allows its removal.

- Removable integral technopolymer seat
- Useful seating area 1200 cm²
- Wall anchoring by means of an aluminium plate
- Clutch system for clamping movement control

Colours and finishes

Plate	N1			
Seat	WE	DD	BB	BF

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19UHS03 <small>xx</small>	380x400x409	3,50 kg.	550,00




Anchor plate cover
[WxDxH] 171x20x86,5 mm.

F19JIS02
€ 62,45



WE




Folding shower seat made of technopolymer, fitted with a floor support with adjustable feet. Wall anchorage is provided by an aluminium plate system

- Integral seat made of technopolymer
- Floor stand with passivated and satin-finished aluminium profile with adjustable feet
- Useful seating area 1200 cm²
- Wall anchoring by means of an aluminium plate
- Clutch system for clamping movement control

Colours and finishes

Plate and leg	N1			
Seat	WE	DD	BB	BF

Code	Dimensions [AxBxC] mm.	Net weight	Price €
G19UHS02 <small>xx</small>	380x390x769	4,00 kg.	568,23



Washbasin made of glazed sanitary ceramic, the article can be integrated with a galvanised steel frame with an epoxy-polyester finish.


- Wall-hung installation
- Fixings included
- Galvanised steel frame with powder-coated finish
- Tap hole in central position
- Basin centre on the plane
- Basin capacity 23.5 litres
- Basin fitted with overflow hole

Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN41651 xx	650x465x170	12,00 kg.	395,00
Finishes 08, 13, 11, 03, 23			
OMN41651 xx	650x465x170	12,00 kg.	575,00

	Shelf to be anchored on towel holder arm [WxDxH] 416x87x60 mm.	F19ANS04 € 139,00		Structure for washbasin with handle [WxDxH] 649x467x132 mm.	B41DCS42 xx € 225,00
	Structure for washbasin with handle and towel holder arm [WxDxH] 754x467x132 mm.	B41DCL42 xx € 298,00		Structure for washbasin with handle and towel holder arm [WxDxH] 754x467x132 mm.	B41DCR42 xx € 298,00
	Towel holder			Towel holder	
	Structure and handle			Structure and handle	



Washbasin made of acrylic stone, the article must be completed with a steel structure for installation.

- Wall-hung installation
- Tap hole in central position
- Basin centre on the top plane
- Basin capacity 19 litres
- Basin without overflow hole


Colours and finishes

W3			
Code	Dimensions [AxBxC] mm.	Net weight	Price €
B49CMM01 W3xx	650x465x144	8,25 kg.	965,00

Installation of the washbasin requires the use of a structure to be ordered separately

	Shelf to be anchored on towel holder arm [WxDxH] 416x87x60 mm.	F19ANS04 € 139,00		Structure for washbasin with handle [WxDxH] 649x467x132 mm.	B41DCS42 xx € 225,00
	Structure for washbasin with handle and towel holder arm [WxDxH] 754x467x132 mm.	B41DCL42 xx € 298,00		Structure for washbasin with handle and towel holder arm [WxDxH] 754x467x132 mm.	B41DCR42 xx € 298,00
	Towel holder			Towel holder	
	Structure and handle			Structure and handle	

Washbasin made of glazed sanitary ceramic, the article can be integrated with a galvanised steel frame with an epoxy-polyester finish.



- Wall-hung installation
- Fixings included
- Galvanised steel frame with powder-coated finish
- Tap hole in central position
- Basin centre on the plane
- Basin capacity 23.5 litres
- Basin fitted with overflow hole


Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN41101 xx	1000x465x170	22,00 kg.	595,00
Finishes 08, 13, 11, 03, 23			
OMN41101 xx	1000x465x170	22,00 kg.	865,00

	Shelf to be anchored on towel holder arm [WxDxH] 416x87x60 mm.	F19ANS04 € 139,00		Structure for washbasin with handle [WxDxH] 999x467x132 mm.	B41DCS43 xx € 269,00
	Towel holder C2			Structure for washbasin with handle and towel holder arm [WxDxH] 1104x467x132 mm.	B41DCR43 xx € 359,03
	Structure and handle WE DD BB			Structure and handle WE DD BB	





Rimless floor-standing sanitary toilet, made of sanitary porcelain. Its shape and height from the floor make it comfortable and suitable for everyone, even people with mobility difficulties.


- Floor installation flush with the wall
- Flush drain system
- Rimless rim- 4.5/3.0 litre drain
- Fixing by means of silicone sealant
- Round shapes with seating surface and comfort height
- Backward-flowing siphon for integration with plastic fitting

Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN1103R _{xx}	370x600x450	31 kg.	595,00
Finishes 08, 13, 11, 03, 23			
OMN1103R _{xx}	370x600x450	31 kg.	865,00

C90MN _{xx}			
	Straight drain connection 350 mm.	RASP011 € 19,00	Thermoset seat with seat cover, soft-close € 115,00 01 € 275,00 08/23 € 275,00 11/03 € 275,00 13
	Floor drain connection for floor-standing WC, adjustable from 60 to 100 mm.	RASCT21174 € 29,50	Offset drain connection adjustable from 230 to 180 mm. RASP21920 € 75,00
	Floor drain connection for floor-standing WC, adjustable from 130 to 200 mm.	RASCT21154 € 29,50	Floor drain connection for floor-standing toilet, adjustable from 100 to 120 mm. RASCT21144 € 17,50
	Water inlet connection adjustable from 340 to 360 mm.	RAECC21106 € 9,00	Floor drain connection for floor-standing toilet, adjustable from 160 to 360 mm. RASCT21930 € 112,50
	Water inlet connection, adjustable from 350 a 325 mm.	RAECC21109 € 29,50	Water inlet connection, adjustable from 335 a 365 cm. RAECC21108 € 29,50




Floor-standing bidet made of sanitary porcelain. Its shape and height from the floor make it comfortable and suitable for everyone, even people with mobility difficulties.

- Floor installation flush with the wall
- Fixing by means of silicone sealant
- Round shapes with seating surface and comfort height

Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN2301 <small>xx</small>	370x600x450	28 kg.	595,00
Finishes 08, 13, 11, 03, 23			
OMN2301 <small>xx</small>	370x600x450	28 kg.	865,00



Rimless sanitary toilet, wall-hung, made of sanitary porcelain.

- Wall-hung installation
- Flush drain system
- Fastening elements supplied with product
- Rimless edge
- Backward-flowing siphon for integration with plastic connection
- Drain with 4.5/3.0 litres
- Concealed fastening system

Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN1202R <small>xx</small>	370x550x430	24 kg.	495,00
Finishes 08, 13, 11, 03, 23			
OMN1202R <small>xx</small>	370x550x430	24 kg.	715,00

C90MN xx



Water inlet connection adjustable from 340 to 360 mm.

RAECC21106
€ 9,00



Thermoset seat with seat cover, soft-close

€ 115,00 01
€ 275,00 08/23
€ 275,00 11/03
€ 275,00 13

01	08	13	11
03	23		




Water inlet connection adjustable from 350 to 325 mm.

RAECC21109
€ 29,50



Water inlet connection adjustable from 335 to 365 mm.

RAECC21108
€ 29,50




Wall-hung bidet made of sanitary porcelain.

- Wall-hung installation
- Tap hole in central position
- Concealed quick fastening system

Colours and finishes

Gloss			
	01	08	13
Matte			
	11	03	23

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes 01			
OMN2201 _{xx}	370x550x300	21 kg.	495,00
Finishes 08, 13, 11, 03, 23			
OMN2201 _{xx}	370x550x300	21 kg.	715,00




Sanitary toilet module with galvanised steel frame, equipped with stainless steel sides and top, the front panel is made of acrylic stone.

- Ready to install
- Compatible with all commercially available sanitary ware
- Self-supporting with internal galvanised sheet metal structure
- No building work required
- Useful in renovations and new constructions
- Suitable for wall-hung or floor-standing sanitary ware
- For installation in front of solid or drywall walls
- Brushed AISI430 stainless steel outer frames
- Acrylic stone front panels

Colours and finishes

Sides	
	N1
Front panel	
	W3 DA

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finitura W3			
R39PBM08 _{xxXX}	500x150x1200	20,50 kg.	900,55
Finitura DA			
R39PBM08 _{xxXX}	500x150x1200	20,50 kg.	1562,39



Sanitary module for bidet with galvanised steel frame, equipped with stainless steel sides and top, the front panel is made of acrylic stone.

- Ready to install
- Compatible with all commercially available sanitary ware
- Self-supporting with internal galvanised sheet metal structure
- No building work required
- Useful in renovations and new constructions
- Suitable for wall-hung or floor-standing sanitary ware
- For installation in front of solid or drywall walls
- Brushed AISI430 stainless steel outer frames
- Acrylic stone front panels

Colours and finishes

Sides



N1

Front panel




W3



DA

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes W3			
R39PBM09 xxXX	500x150x1200	22,00 kg.	1102,80
Finishes DA			
R39PBM09 xxXX	500x150x1200	22,00 kg.	1784,86






Bathroom mirror made of glass with integrated front lighting.

- Treated external edges with round polished edges
- Article with aluminium frame around the entire rear perimeter
- Integrated touch switch for lighting control
- LED lighting system with front light
- Class III electrical system

Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
F19ATS01 <small>xx</small>	650x20x850	6,70 kg.	478,20




Bathroom mirror made of glass with integrated front and rear lighting, top and bottom profiles.

- Treated external edges with round polished edges
- Article with aluminium frame around the entire rear perimeter
- Integrated touch switch for lighting control
- LED lighting system with front, upward and downward light
- Class III electrical system

Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
F19ATS02 <small>xx</small>	650x20x850	6,73 kg.	622,45



Bathroom mirror made of glass with integrated front lighting.

- Treated external edges with round polished edges
- Article with aluminium frame around the entire rear perimeter
- Integrated touch switch for lighting control
- LED lighting system with front, upward and downward light
- Can be integrated with modules: "Safety air system" and "Help system"
- Class III electrical system

Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
F19ATS03 <small>xx</small>	650x74x850	8,50 kg.	1187,50

Control unit for "Help system"

M73NGE03

€ 1660,00

Safety air system
[WxDxH] 250x190x60 mm.

M73MXE02

€ 1100,00





Container for straight grab bar of any size. Made of ABS

- Can be installed on any straight grab bar
- Freely positionable

Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
F19A0S01 xx	230x95x100	0,27 kg.	63,26

Fixing plate in aluminium
[WxDxH] 100x15x50 mm.



N1

B19DJ501
€ 47,38




Coat hook with body made of AISI304 stainless steel pipe, and the end cap of acrylic acrylic stone or iroko wood.

Colours and finishes

Body	 WE	 DD	 N2
End cap	 W3	 L8	

Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes W3-C1, W3-DD, W3-WE			
F19AKS01 xx	50x48x60	0,12 kg.	29,40
Finishes L8-C1, L8-DD, L8-WE			
F19AKS01 xx	50x48x60	0,08 kg.	40,33



Storage unit made of edged laminate, equipped with swivel castors. The article has a 'tray' top and a compartment closed by a door.

Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
F19AIS01 xx	400x300x550	13,20 kg.	733,57

Single lever basin mixer, without tap hole. Round base.



Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes C1			
H50GBS32 <small>xx</small>	48x48x175	0,90 kg.	277,32
Finishes WE			
H50GBS32 <small>xx</small>	48x48x175	0,90 kg.	374,52

Single-lever bidet mixer, without pop-up valve hole. Round base



Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes C1			
H50GBS33 <small>xx</small>	48x48x142	0,75 kg.	277,32
Finishes WE			
H50GBS33 <small>xx</small>	48x48x142	0,75 kg.	374,52



Concealed, wall-mounted shower mixer.



Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes C1			
H50GBS34 xx	48x48x142	0,55 kg.	123,00
Finishes WE			
H50GBS34 xx	48x48x142	0,55 kg.	165,96

Inspectable brass overhead shower, Ø250 mm



Colours and finishes



Code	Dimensions [AxBxC] mm.	Net weight	Price €
Finishes C1			
H50GNS01 xx	250x250x62	2,10 kg.	477,60
Finishes WE			
H50GNS01 xx	250x250x62	2,10 kg.	644,76



Wall-mounted shower arm
Ø 22 mm.

H50GNS02 **xx**

€ 173,28 **WE**

€ 128,40 **C1**



General Sales and Delivery Conditions

Ex-factory prices - V.A.T. excluded

1. **ORDERS.** The acceptance of the order will be always submitted to the approval of the vendor who can give written confirmation to the buyer.
2. **DELIVERY.** The delivery will be ex-factory at our factory-address in Corchiano, even if the final destination and the agreed conditions are different. Partial shipments are allowed. The safety of the goods will be at complete liability of the buyer even if the delivery term is agreed free destination.
3. **SHIPMENT.** The shipment freight has to be paid by the buyer so the shipments will be previously agreed with him. In case of damages, breakages or shortages of the goods, the buyer is obliged to notify it at our society by carrier as soon as the goods have been delivered. In this case the delivered goods will remain property of the vendor until receipt of payment.
4. **DELIVERY TERMS.** Delivery terms have to be considered indicative and in relation to the possibilities of the period. We do not assume any kind of liability for delays or for drawback of deliveries if due to facts and acts independent of our will.
5. **PRICES.** Prices can change without notice and can be replaced with prices effective at the period of the delivery of the goods, even if they refer to previous orders.
6. **PAYMENT TERMS.** Payments are valid only if effected and addressed to the social address of the firm and by regular quittance. Any other payment is at complete risk of the buyer. The payments not effected according to the agreed payment terms or if expired, give right to the society to stop the outstanding deliveries. If payment will be received on delay, the seller total amount to be paid, increased of the current interest rate equal to three points.
7. **CLAIMS.** In case of errors or defects of production, the buyer must present a claim sending it by registered letter within 8 days from the receipt of the invoice. In case the defects will be confirmed by the seller, the factory can either declass the items or can substitute the not saleable pieces. Any other liability neither indirect nor direct can be debited to our society. The contested goods do not give any right to suspend the payments.
8. **SIZES AND COLOURS.** The features of the items are indicated only for information and are subject to the tolerance due to the use. The produced items can be modified or eliminated from production without giving any kind of notice to the buyer.
9. **RELEVANT COURT.** Any controversy falls within the competence of the Viterbo (Italy) court.
10. The above-mentioned general sale terms will be considered entirely accepted by the buyer when he subscribes the order or when the pro-ducts are collected.



CERTIFICATO N. 9567/03/S
CERTIFICATE No.

SI CERTIFICA CHE IL SISTEMA DI GESTIONE PER LA QUALITÀ DI
IT IS HEREBY CERTIFIED THAT THE QUALITY MANAGEMENT SYSTEM OF

OLYMPIA CERAMICA S.R.L.

LOCALITÀ: PANTALONE, 35 01030 CORCHIANO (VT) ITALIA
NELLE SEGUENTI UNITÀ OPERATIVE / IN THE FOLLOWING OPERATIONAL UNITS

LOCALITÀ: PANTALONE, 35 01030 CORCHIANO (VT) ITALIA

È CONFORME ALLA NORMA / IS IN COMPLIANCE WITH THE STANDARD
ISO 9001:2015

PER I SEGUENTI CAMPI DI ATTIVITÀ / FOR THE FOLLOWING FIELD(S) OF ACTIVITIES

PROGETTAZIONE E PRODUZIONE DI ARTICOLI IGIENICO SANITARI, COMMERCIALIZZAZIONE DI ELEMENTI
DI ARREDO PER L'AMBIENTE BAGNO

IAF:15
IAF:29

DESIGN AND PRODUCTION OF SANITARY WARES. TRADE OF BATHROOM DESIGN FURNITURE

La validità del presente certificato è subordinata a sorveglianza periodica annuale / semestrale ed al riesame completo del sistema di gestione con periodicità triennale
The validity of this certificate is dependent on an annual / six monthly audit and on a complete review, every three years, of the management system
L'uso e la validità del presente certificato sono soggetti al rispetto del documento RINA, Regolamento per la Certificazione di Sistemi di Gestione per la Qualità
The use and validity of this certificate are subject to compliance with the RINA document: Rules for the certification of Quality Management Systems

Prima emissione First Issue	07.10.2003	Data decisione di rinnovo Renewal decision date	30.09.2021
Data scadenza Expiry Date	30.09.2024	Data revisione Revision date	30.09.2021

Amilcare Rini
Rome Management System
Certification, Head

Amilcare Rini
RINA Services S.p.A.
Via Corsica 12 - 16128 Genova Italy



CISQ è la pubblicazione italiana di Organismi di
Certificazione di sistemi di gestione aziendale
CISQ is the Italian Federation of
management system Certification Bodies



SGQ N° 002 A
Revisione degli Accordi di Mutuo
Riconoscimento EA, IAF e ILAC
Signature of EA, IAF and ILAC
Mutual Recognition Agreements



Per informazioni sulla validità
del certificato, visitare il sito
www.rina.org
For information concerning
validity of the certificate, you
can visit the site
www.rina.org

Per i requisiti della norma non
applicabili al campo di applicazione
del sistema di gestione
dell'organizzazione, riferirsi alle
informazioni documentate relative.
Reference is to be made to the
relevant documented information
for the requirements of the
standard that cannot be applied to
the Organization's management
system scope



THE INTERNATIONAL CERTIFICATION NETWORK

CERTIFICATE

CISQ / RINA has issued an IQNet recognized certificate that the organization:

OLYMPIA CERAMICA S.R.L.

LOCALITÀ: PANTALONE, 35 01030 CORCHIANO (VT) ITALIA

in the following operative units:

LOCALITÀ: PANTALONE, 35 01030 CORCHIANO (VT) ITALIA

has implemented and maintains a
Quality Management System
for the following scope:

DESIGN AND PRODUCTION OF SANITARY WARES. TRADE OF BATHROOM DESIGN FURNITURE

which fulfills the requirements of the following standard:

ISO 9001:2015

Issued on: 2021-09-30

First Issued on: 2003-10-07

Expires on: 2024-09-30

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

CISQ/RINA original certificate no.: **9567/03/S**

Registration Number: **IT-32190**



Alex Stoichitoiu
Alex Stoichitoiu
President of IQNET




Mario Romersi
Ing. Mario Romersi
President of CISQ

IQNet Partners*:

AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cto Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA
FCAV Brazil FONDONORMA Venezuela ICONTEC Colombia Inspecta Sertifointi Oy Finland INTECO Costa Rica
IRAM Argentina JQA Japan KQF Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland
NYCE-SIGE Mexico PCBC Poland Quality Austria Austria RR Rostia SH Israel SIQ Slovenia
SIRIM QAS International Malaysia SGS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey YUQS Serbia

* The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com







Olympia Ceramica s.r.l.

Zona Industriale Località Pantalone 35

01030 Corchiano (VT) - ITALY

Telefono: +39 0761 573 392

Mail: info@olympiaceramica.it

Partita IVA 01548170560